

MAR 08 2019

---

---

# SENATE CONCURRENT RESOLUTION

REQUESTING THE DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES TO INVESTIGATE THE COEXISTENCE OF JALOUSIE WINDOWS AND AIR CONDITIONING IN STATE BUILDINGS AND CONSIDER MORE ENERGY EFFICIENT ALTERNATIVES.

1 WHEREAS, many facilities owned by the State have installed  
2 air conditioning units after the facility's initial  
3 construction; and

4  
5 WHEREAS, some of these facilities still have jalousie  
6 windows between the air conditioned spaces and the outdoor  
7 environment; and

8  
9 WHEREAS, jalousie windows allow the conditioned air to  
10 escape the building, thus increasing the expense of providing  
11 air conditioning to the indoor environment; now, therefore,

12  
13 BE IT RESOLVED by the Senate of the Thirtieth Legislature  
14 of the State of Hawaii, Regular Session of 2019, the House of  
15 Representatives concurring, that the Department of Accounting  
16 and General Services is requested to investigate the coexistence  
17 of jalousie windows and air conditioning in state buildings and  
18 consider more energy efficient alternatives, such as replacing  
19 the jalousie windows with sealed windows; and

20  
21 BE IT FURTHER RESOLVED that certified copies of this  
22 Concurrent Resolution be transmitted to the Governor, Lieutenant  
23 Governor, Comptroller, and Administrator of the Central Services  
24 Division of the Department of Accounting and General Services.

25  
26  
27 OFFERED BY:

*Mike Gattard*  
*Amor Moreda*

*SP Rivas*

*Clarence Fuchikawa*

*William J. Friedman*

*Kal Nook*

*Randy de Bebe*

*Rev. E. P. ...*



*Kurt Ferrell*

Ermine G. Gouge

BSG

MSR

~~MSR~~ DC Tech-02

D. G.

Michelle Kelani

D. K.

D.

MSR

R

