

MAR 08 2019

SENATE CONCURRENT RESOLUTION

REQUESTING THE HAWAII COMMUNITY DEVELOPMENT AUTHORITY TO STUDY
PROPERTIES IN OR AROUND KAKAAKO AND RECOMMEND APPROPRIATE
SITES FOR A FIRE STATION.

1 WHEREAS, in 1976, the Legislature recognized the lack of
2 timely revitalization of underutilized urban communities in the
3 State, and determined that a new concept of urban planning and
4 redevelopment was needed to supplement traditional methods of
5 community redevelopment; and
6

7 WHEREAS, the Legislature created the Hawaii Community
8 Development Authority codified as chapter 206E, Hawaii Revised
9 Statutes, an agency which would "join the strengths of private
10 enterprise, public development and regulation into a new form
11 capable of long-range planning and implementation of improved
12 community development"; and
13

14 WHEREAS, the Hawaii Community Development Authority
15 designated the Kakaako area as the first community development
16 district; and
17

18 WHEREAS, as a result of subsequent Hawaii Community
19 Development Authority actions, the community of Kakaako has
20 undergone major revitalization efforts that have transformed the
21 area into a dense, urban community with dozens of high-rises and
22 millions of square feet of new commercial space; and
23

24 WHEREAS, the Hawaii Community Development Authority
25 estimates that planned Kakaako developments will increase the
26 residential population by twenty thousand to over forty thousand
27 individuals by 2030; and
28

29 WHEREAS, Honolulu Fire Station 9 - Kakaako is primarily
30 responsible for providing emergency response to Kakaako; and
31



1 WHEREAS, the Fire Station 9, built in 1972, was not
2 designed to accommodate the area's projected growth, and the
3 site has no space for expansion to meet the challenges posed by
4 the increased residential and transient populations, proposed
5 residential structures, and commercial development in Kakaako;
6 and
7

8 WHEREAS, emergency response is time-sensitive, and
9 providing emergency services to high-rise locations presents
10 unique challenges, one of which is a longer response time due to
11 the need for emergency responders to travel from street-level to
12 the high-rise residence and back down; and
13

14 WHEREAS, to compensate for longer response times, the
15 distance between locations in Kakaako and the nearest fire
16 station must be reduced; and
17

18 WHEREAS, the total number of responses to Kakaako from Fire
19 Station 9 has increased by more than three hundred twenty-seven
20 percent from 2001 to 2018; and
21

22 WHEREAS, given the rapidly increasing residential and
23 transient populations, numerous completed and planned
24 residential high-rises, and expanding commercial development, in
25 2018, the Honolulu Fire Department recommended that a new fire
26 station be built to provide additional first responder services
27 to Kakaako; and
28

29 WHEREAS, a fire station may house and support personnel and
30 equipment for firefighting, emergency medical services, and
31 police; and
32

33 WHEREAS, the State, through the Hawaii Community
34 Development Authority under chapter 206E, Hawaii Revised
35 Statutes, has planning authority over Kakaako, superseding the
36 planning authority of the City and County of Honolulu; now,
37 therefore,
38

39 BE IT RESOLVED by the Senate of the Thirtieth Legislature
40 of the State of Hawaii, Regular Session of 2019, the House of
41 Representatives concurring, that the Hawaii Community
42 Development Authority is requested to study properties in and



S.C.R. NO. 61


1 around the Kakaako community development district and recommend
 2 appropriate sites for a fire station that meets specifications
 3 recommended by the Honolulu Fire Department; and
 4

5 BE IT FURTHER RESOLVED that the Hawaii Community
 6 Development Authority is requested to recommend ways and means,
 7 if necessary, to construct a fire station upon the recommended
 8 sites, for use by the City and County of Honolulu; and
 9

10 BE IT FURTHER RESOLVED that the Hawaii Community
 11 Development Authority is requested to submit a report of its
 12 findings and recommendations to the Legislature no later than
 13 twenty days prior to the convening of the Regular Session of
 14 2020; and
 15

16 BE IT FURTHER RESOLVED that certified copies of this
 17 Concurrent Resolution be transmitted to the Executive Director
 18 of the Hawaii Community Development Authority and Chief of the
 19 Honolulu Fire Department.
 20
 21
 22

OFFERED BY: _____



Araine R. Frouye



Kurt Favelle

Clarence K. Quilley

